Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	(continuous adj rod tension adj roller).clm. and "131"/\$.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/30 16:09

4/30/2007 4:09:21 PM Page 1
C:\Documents and Settings\jedel\My Documents\EAST\Workspaces\10-773140 -131- Device for separating a continuous rod for recycle.

update search to date 4-30-2007

# **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	82	(Substitute replace change) near5 (Cog gear) near5 (System arrange organize) near5 (Known typical common ordinary regular frequent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:55
L2	0	(Substitute replace change) near5 (Cog gear) near5 (System arrange organize) near5 (Known typical common ordinary regular frequent) NOT L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:55
L3		((cog gear) adj2 (System arrange organize)) near4 (substitute replace change) near8 (obvious known common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:56
L4	0	((cog gear) adj2 (System arrange organize)) near4 (substitute replace change) near8 (obvious known common) NOT L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:56
L5	19	((Divide cut split separate partition break fracture sever slice crack rupture segment) near5 (Tensile tension stretch draw adj out) and (Tobacco cigarette)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:57
L6	0	((Divide cut split separate partition break fracture sever slice crack rupture segment) near5 (Tensile tension stretch draw adj out) and (Tobacco cigarette)).ab. NOT L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:57
L7	569	(Divide cut split separate partition break fracture sever slice crack rupture segment) near5 (Tensile tension stretch draw adj out) and (Tobacco cigarette)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:58
L8	0	(Divide cut split separate partition break fracture sever slice crack rupture segment) near5 (Tensile tension stretch draw adj out) and (Tobacco cigarette) NOT L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:58

L9	19	131/27.1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 16:01
L10	41	131/27.1.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 16:01
S1	458	(131/58,281).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 11:41
S2	3496	(131/58,281,60,77,84.1 30/92 225/93,98,103,104,105).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 12:01
S3	6657817	(Divide cut split separate partition break fracture sever slice crack rupture segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 12:02
S4	544	(Divide cut split separate partition break fracture sever slice crack rupture segment) near5 (Tensile tension stretch draw adj out) and (Tobacco cigarette)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:58
S5	18	((Divide cut split separate partition break fracture sever slice crack rupture segment) near5 (Tensile tension stretch draw adj out) and (Tobacco cigarette)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:57
S6	0	"10262069".an.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:55

4/30/2007 4:04:37 PM Page 2 C:\Documents and Settings\jedel\My Documents\EAST\Workspaces\10-773140 -131- Device for separating a continuous rod for recycle.

S7	0	"10262069".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/10/11 13:55
S8	1	"10262069".ap.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:55
S9	1	"262069".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:57
S10	<b>0</b>	BO2003A000080\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:58
S11	20	"000080"\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:59
S12	0	000080-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 13:59
S13	2	("0262069").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/11 14:10
S14	5	"262069".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:10
S15	2	(("4188957 <sub>,</sub> ") or ("4406293")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/11 14:20

4/30/2007 4:04:37 PM Page 3
C:\Documents and Settings\jedel\My Documents\EAST\Workspaces\10-773140 -131- Device for separating a continuous rod for recycle.

S16	4	("3716893"   "3911770").PN. OR ("4188957").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 14:22
S17	5	("4188957"   "4261790"   "4278100"   "4406293"   "4485827").PN. OR ("4852588").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 14:25
S18	8	("4226352" "4461415" "4852588"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:31
S19	3	("4226352" "4461415" "4852588"). PN.	USPAT	OR	ON	2006/10/11 14:41
S20	2	(("4461415") or ("4226352")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/11 14:43
S21	131	131/96.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/30 16:00
S22	21	131/96.ccls. and (Divide cut split separate partition break fracture sever slice crack rupture segment) near10 rod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:59
S23	121	"131"/\$.ccls. and (Divide cut split separate partition break fracture sever slice crack rupture segment) near10 (Tensile tension stretch draw adj out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:07
S24	1245	(Divide split separate partition break fracture crack rupture segment) near5 (turn wheel roller drum spin) near5 (Tensile tension stretch draw adj out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:12
S25	762	(Divide split partition break fracture crack rupture segment) near5 (turn wheel roller drum spin) near5 (Tensile tension stretch draw adj out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:13

4/30/2007 4:04:37 PM

					,	<del></del>
S26	9	((Divide split partition break fracture crack rupture segment) near5 (turn wheel roller drum spin) near5 (Tensile tension stretch draw adj out)) and "225"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:25
S27	493	225/97.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:35
S28	6	225/97.ccls. and burst	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:39
S29	6	225/97.ccls. and burst Not perforate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:39
S30	21	((Avoid "not") near10 (cut slice) near10 (tobacco)) and "131"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:44
S31	32	((Avoid) near5 (cut slice)) and "131"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:46
S32	1	(Excessive undue unnecessary) adj cutting and "131"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:46
S33	14	(Excessive undue unnecessary) near3 (cutting cut slice) and "131"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:47

62.4	340		LIC DCDUD	OD	ON	2006/10/12 11:22
S34	762	belt near4 (cog gear) near4 (substitute replace change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:23
S35	10	belt near4 (cog gear) near4 (substitute replace change) near4 (obvious known common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:31
S36	34	((cog gear) adj2 (System arrange organize)) near4 (substitute replace change) near8 (obvious known common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 15:56
S37	0	substitute near8 various near8 gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:38
S38	481	substitute near3 gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:41
S39	1610374	Substitute replace change near5 Cog gear near5 System arrange organize	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:43
S40	3602	(Substitute replace change) near5 (Cog gear) near5 (System arrange organize)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 11:44
S41	80	(Substitute replace change) near5 (Cog gear) near5 (System arrange organize) near5 (Known typical common ordinary regular frequent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/30 15:55

4/30/2007 4:04:37 PM Page 6
C:\Documents and Settings\jedel\My Documents\EAST\Workspaces\10-773140 -131- Device for separating a continuous rod for recycle.

		· · · · · · · · · · · · · · · · · · ·				
S42	14	(US-20030062054-\$).did. or (US-6769435-\$ or US-4406293-\$ or US-4852588-\$ or US-4651757-\$ or US-4485827-\$ or US-3567010-\$ or US-4461415-\$ or US-4188957-\$ or US-4226352-\$).did. or (US-1917491-\$ or US-2875689-\$). did. or (EP-625476-\$ or JP-10262069-\$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/04/30 14:09
S43	537	cam near10 tear	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/04/30 14:10
S44	36	cam near20 tear near20 (rod rope continuous)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/04/30 14:11

4/30/2007 4:04:37 PM Page 7
C:\Documents and Settings\jedel\My Documents\EAST\Workspaces\10-773140 -131- Device for separating a continuous rod for recycle.